


LIGHT IZ DESIGN

Crystal starry sky 2023





The company LIDES was founded in 2012 with the aim of bringing to the market high-quality, elaborately detailed lamps that will meet the demands of the most discerning customers.

The lamps are designed with an emphasis on their functionality, to bring enough light into the space and to be controllable in cooperation with modern technologies available on the market.

In themselves, they are beautiful design elements that serve as the main source of illumination while allowing for adjustable brightness and transforming the space into a magical and relaxing atmosphere.

The collection of lamps combines the beauty of glass with light, art with modern technologies and brings a unique and unforgettable experience.

In addition to glass, these fixtures incorporate other high-quality materials such as metals with unique surface finishes and uniquely cut crystals from Swarovski®.

We provide post-warranty service and renovation for all our products.



Unique atmosphere

LED Crystal collection serves for decorative illumination of premium spaces such as SPA, saunas, hotel apartments, restaurants and also bathrooms, bedrooms and other types of rest interior.

Uniquely ground crystals diffuse spot light to create a fancy effect of gorgeously shining stars.

Orientation lighting

Due to their energy efficiency these lamps are also well-suited to provide orientation lighting in hallways and other common areas.

Light effects are visible only on pale surfaces.



Elegance and luxury

The LED Crystal collection is made from authentic crystals from Swarovski®, known for their high quality and sparkling appearance. The crystal starry sky will add flair and elegance to any space.

There are 10 types of crystals of different cuts, thanks to which each crystal draws a unique star on the ceiling.

Lamp body finish



polished stainless steel




golden gloss



Accessories

Every lamp is equipped with 2m of cable and a special holder for easy installation in plasterboard ceilings or chipboards.

When ordering a minimum quantity
of 6 LED Crystal, the package includes
comprehensive accessories:
plastic mounting holders, conductors
with connectors, distribution block,
power supply and drill.



DROP 18

shining star - diameter approx. 35 cm

Recommended quantity:

Small areas: $4 - 5 pcs / 1m^2$ Larger areas: $2 - 3 pcs / 1m^2$

DROP 40

shining star - diameter approx. 35 cm

Recommended quantity:

Small areas: $4 - 5 pcs / 1m^2$ Larger areas: $2 - 3 pcs / 1m^2$

DROP 50

shining star - diameter approx. 120 cm

Recommended quantity: $1 \text{ pc} / 2m^2$ Best for larger areas

TIP: Combine with DROP 18 and DROP 40 *In a ratio* 45% : 45% : 10% (DROP 18 : DROP 40 : DROP 50)

DROP 63

shining star - diameter approx. 45 cm

Recommended quantity: $2 - 3 pcs / 1m^2$


TIP: Combine with DROP 18 and DROP 40 *In a ratio* 45% : 45% : 10% (DROP 18 : DROP 40 : DROP 63)

DROP 100

shining star - diameter approx. 160 cm

Recommended quantity: $1 \text{ pc} / 3m^2$ Best for larger areas

TIP: Combine with DROP 18 and DROP 40 *In a ratio 45% : 45% : 10%* (DROP 18 : DROP 40 : DROP 100)




SPIN DROP

shining star - diameter approx. 40 cm

Recommended quantity: $2 - 3 pcs / 1m^2$

TIP: Combine with DROP 18 and DROP 40 In a ratio 45%: 45%: 10% (DROP 18 : DROP 40 : SPIN DROP)



FLOW 63

shining star - diameter approx. 30 cm

Recommended quantity: $3 - 4 pcs / 1m^2$

TIP: Combine with FLOW 100 In a ratio 60%: 40% (FLOW 63: FLOW 100)



FLOW 100

shining star - diameter approx. 50 cm

Recommended quantity: $2 - 3 pcs / 1m^2$

TIP: Combine with FLOW 63 In a ratio 60%: 40% (FLOW 63: FLOW 100)





BRIOLETTE 76

shining star - diameter approx. 80 cm

Recommended quantity: $1 \text{ pc} / 2m^2$ Best for larger areas

TIP: Combine with BRIOLETTE 100 In a ratio 80% : 20% (BRIOLETTE 76 : BRIOLETTE 100)




BRIOLETTE 100

LIDES

shining star - diameter approx. 180 cm

Recommended quantity: $1 \text{ pc} / 3m^2$ Best for larger areas


TIP: Combine with BRIOLETTE 76 In a ratio 80% : 20% (BRIOLETTE 76: BRIOLETTE 100)



Drop 18

recessed lamp interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss

(CE) (UKCA) (IP65) (5V DC)



Light source


0,15W LED 8500 - 6500K non-dimmable

Code

stainless steel: DROP18 o gold: DROP18-G

Drop 40

recessed lamp interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss



Light source

0,15W LED 8500 - 6500K non-dimmable

Code

stainless steel: DROP40 gold: DROP40-G






Drop 50

recessed lamp interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss









Light source

0,15W LED 8500 - 6500K non-dimmable

Code

stainless steel: gold:


Drop 63

recessed lamp interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss









Light source

0.15W LED 8500 - 6500K non-dimmable

Code

stainless steel: gold:

DROP63 DROP63-G

DROP50

DROP50-G


Drop 100

recessed lamp interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss









Light source

0.15W LED 8500 - 6500K non-dimmable

Code

stainless steel: gold:


DROP100 DROP100-G

Spin Drop

recessed lamp

interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss





Light source

0,15W LED 8500 - 6500K non-dimmable

Code

stainless steel: SPINDROP gold: SPINDROP-G

Flow 63

recessed lamp interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss





Light source

0,15W LED 8500 - 6500K non-dimmable

Code

stainless steel: FLOW63 gold: FLOW63-G

Flow 100

recessed lamp interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss









16 mm

Light source

0,15W LED 8500 - 6500K non-dimmable

Code

stainless steel: FLOW100 FLOW100-G gold:

Briolette 76

recessed lamp

interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss









Light source

0.15W LED 8500 - 6500K non-dimmable

Code

gold:

stainless steel: BRIOLETTE76 BRIOLETTE76-G

Briolette 100

recessed lamp interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss







Light source

0,15W LED 8500 - 6500K non-dimmable

Code

stainless steel: BRIOLETTE100 BRIOLETTE100-G gold:



Complete sets

made with crystals from Swarovski®



Accessories: plastic holders, conductors, distribution block, power supply and drill

Sets contain everything necessary for creating your own piece of starry sky. Different types of lamps from the LED Crystal collection are used in the sets.

Precisely cut crystal and innovative LED technology with long life span and low consumption can be found in LED Crystal product.

The pre-assembled sets can be expanded with other types of lamps from the LED Crystal collection and thus create unique lighting effects.

Crystal starry sky - complete sets

DROP 18 | DROP 40


interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss



0,15W LED 8500 - 6500K non-dimmable



(CE) (UKCA) (IP65)



Individual LED Crystal: 5V DC

	Qty of lan	Code	
Stainless steel	6	(3+3)	SW01-A
	12	(6+6)	SW02-A
	25	(13+12)	SW03-A
	50	(25+25)	SW04-A
	75	(38+37)	SW05-A
	100	(50+50)	SW06-A
	120	(60+60)	SW07-A
Cold	6	(3+3)	SW01-A-G
	12	(6+6)	SW02-A-G
	25	(13+12)	SW03-A-G
	50	(25+25)	SW04-A-G
	75	(38+37)	SW05-A-G
	100	(50+50)	SW06-A-G
	120	(60+60)	SW07-A-G

Crystal starry sky - complete sets

DROP 18 | DROP 40 | DROP 50

interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss







\Rightarrow		
1		
1		
()		
Χ		
/		

_	6	(2+2+2)	SW01-B
Stainless steel	12	(5+5+2)	SW02-B
S	25	(10+10+5)	SW03-B
les	50	(20+20+10)	SW04-B
ain	75	(30+30+15)	SW05-B
St	100	(40+40+20)	SW06-B
	120	(50+50+20)	SW07-B
	6	(2+2+2)	SW01-B-G
	12	(5+5+2)	SW02-B-G
	25	(10+10+5)	SW03-B-G
_	50	(20+20+10)	SW04-B-G
Pic	75	(30+30+15)	SW05-B-G

(40+40+20)

(50+50+20)

SW06-B-G

SW07-B-G

100

O | 120

Qty of lamps in the set Code

Light source

0,15W LED 8500 - 6500K non-dimmable



Light source

0,15W LED

8500 - 6500K

non-dimmable

(**C€**) (UKCA) (IP65)





Complete set: 230V AC / 50-60 Hz

Individual LED Crystal: 5V DC

(Complete set: 230V AC / 50-60 Hz

(Individual LED Crystal: 5V DC)

Crystal starry sky - complete sets DROP 18 | DROP 40 | DROP 63

interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss







Stainless steel	6	(2+2+2)	SW01-C
	12	(5+5+2)	SW02-C
	25	(10+10+5)	SW03-C
	50	(20+20+10)	SW04-C
	75	(30+30+15)	SW05-C
	100	(40+40+20)	SW06-C
	120	(50+50+20)	SW07-C
Gold	6	(2+2+2)	SW01-C-G
	12	(5+5+2)	SW02-C-G
	25	(10+10+5)	SW03-C-G
	50	(20+20+10)	SW04-C-G
	75	(30+30+15)	SW05-C-G
	100	(40+40+20)	SW06-C-G
	120	(50+50+20)	SW07-C-G

Qty of lamps in the set Code

Sets contain the following accessories: plastic mounting holders, conductors with connectors, distribution block, power supply and drill.

Crystal starry sky - complete sets

DROP 18 | DROP 40 | SPIN DROP

interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss








	Qty of	Code	
- □	6	(2+2+2)	SW01-D
tee	12	(5+5+2)	SW02-D
SS	25	(10+10+5)	SW03-D
les	50	(20+20+10)	SW04-D
Stainless stee	75	(30+30+15)	SW05-D
St	100	(40+40+20)	SW06-D
	120	(50+50+20)	SW07-D
	6	(2+2+2)	SW01-D-G
	12	(5+5+2)	SW02-D-G
	25	(10+10+5)	SW03-D-G
~	50	(20+20+10)	SW04-D-G
Gold	75	(30+30+15)	SW05-D-G
	100	(40+40+20)	SW06-D-G
	120	(50+50+20)	SW07-D-G

Light source

0,15W LED 8500 - 6500K non-dimmable





(Individual LED Crystal: 5V DC)

Crystal starry sky - complete sets

FLOW 63 | FLOW 100

interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss





Qty of lamps in the set Code SW01-E (9+3) 12 SW02-E 25 (20+5)SW03-E 50 SW04-E (40+10)SW01-E-G (4+2)Gold 12 (9+3) SW02-E-G 25 (20+5)SW03-E-G 50


(40+10)

SW04-E-G

0,15W LED 8500 - 6500K non-dimmable








Individual LED Crystal: 5V DC

Crystal starry sky - complete sets

BRIOLETTE 76 | BRIOLETTE 100

interior | SPA | Wellness | saunas operating temperature: - 20 to 120 °C material: stainless steel + Swarovski crystal finish: polished stainless steel / golden gloss





Qty of lamps in the set Code SW01-F (10+2)SW02-F 12 SW03-F 25 (21+4)SW01-F-G (4+2)Gold (10+2)SW02-F-G 12 25 (21+4)SW03-F-G

Light source

0,15W LED 8500 - 6500K non-dimmable





(Complete set: 230V AC / 50-60 Hz

(Individual LED Crystal: 5V DC

Sets contain the following accessories: plastic mounting holders, conductors with connectors, distribution block, power supply and drill.



LIDES s.r.o. no. 1907, 951 32 Horna Kralova Slovakia

www.lides.com lides@lides.sk

