



LIDES
LIGHT IN DESIGN

Crystal starry sky 2023





Founded in 2012, LIDES aims to furnish the market with elaborately detailed and high-quality lighting that meets demands from the most discerning customers.

The lighting is designed with an emphasis on functionality, to light up the space as needed and enable control compatible with modern technologies available on the market.

A beautiful design element in and of themselves, the lights serve as the main source of illumination while allowing for adjustable brightness to lend the space an atmospheric and relaxed ambiance.

Our assortment combines the beauty of glass and light, art and modern technology, resulting in a unique and unforgettable experience.

In addition to glass, our fixtures incorporate other high-quality materials such as metals with one-of-a-kind surface finishes and uniquely cut Swarovski® crystals.

We provide post-warranty service and renovation for all our products.

LED Crystal

made with crystals from Swarovski®



Ambiance deluxe

The LED Crystal collection serves for decorative illumination of premium spaces such as spas, saunas, hotel apartments, restaurants and also bathrooms, bedrooms and other relaxation areas.

Uniquely ground crystals diffuse spotlight to create a fancy effect of magnificent shining stars.

Orientation lighting

Due to their energy efficiency these lamps are also well-suited to provide orientation lighting in hallways and other common areas.

Light effects are visible only on pale surfaces.



Elegance and luxury

The LED Crystal collection is made from authentic crystals from Swarovski®, renowned for their high quality and sparkling appearance. The crystal starry sky will infuse any space with flair and elegance.

There are 10 types of crystals of different cuts, which means that each crystal draws a unique star on the ceiling.

Lamp body finish



polished stainless steel




golden gloss



Accessories

Each lamp is equipped with a 2 m of cable and a special holder for easy installation in plasterboard ceilings or chipboards.

When ordering a minimum quantity of 6 LED Crystals, the package includes comprehensive accessories: plastic mounting holders, conductors with connectors, distribution block, power supply and drill.




DROP 18

shining star - diameter approx. 35 cm

Recommended quantity:

Small areas: 4 - 5 pcs / 1m²

Larger areas: 2 - 3 pcs / 1m²




DROP 40

shining star - diameter approx. 35 cm

Recommended quantity:

Small areas: 4 - 5 pcs / 1m²

Larger areas: 2 - 3 pcs / 1m²



DROP 50

shining star - diameter approx. 120 cm


Recommended quantity: 1 pc / 2m²

Best for larger areas

TIP: Combine with DROP 18 and DROP 40

In a ratio 45% : 45% : 10%

(DROP 18 : DROP 40 : DROP 50)



DROP 63


shining star - diameter approx. 45 cm

Recommended quantity: 2 - 3 pcs / 1m²

TIP: Combine with DROP 18 and DROP 40

In a ratio 45% : 45% : 10%

(DROP 18 : DROP 40 : DROP 63)



DROP 100

shining star - diameter approx. 160 cm


Recommended quantity: 1 pc / 3m²

Best for larger areas

TIP: Combine with DROP 18 and DROP 40

In a ratio 45% : 45% : 10%

(DROP 18 : DROP 40 : DROP 100)



SPIN DROP


shining star - diameter approx. 40 cm

Recommended quantity: 2 - 3 pcs / 1m²

TIP: Combine with DROP 18 and DROP 40

In a ratio 45% : 45% : 10%

(DROP 18 : DROP 40 : SPIN DROP)




FLOW 63

shining star - diameter approx. 30 cm

Recommended quantity: 3 - 4 pcs / 1m²

TIP: Combine with FLOW 100

In a ratio 60% : 40% (FLOW 63 : FLOW 100)



FLOW 100

shining star - diameter approx. 50 cm

Recommended quantity: 2 - 3 pcs / 1m²

TIP: Combine with FLOW 63

In a ratio 60% : 40% (FLOW 63 : FLOW 100)



BRIOLETTE 76

shining star - diameter approx. 80 cm


Recommended quantity: 1 pc / 2m²

Best for larger areas

TIP: Combine with BRIOLETTE 100

In a ratio 80% : 20%

(BRIOLETTE 76 : BRIOLETTE 100)



BRIOLETTE 100

shining star - diameter approx. 180 cm


Recommended quantity: 1 pc / 3m²

Best for larger areas

TIP: Combine with BRIOLETTE 76

In a ratio 80% : 20%


(BRIOLETTE 76 : BRIOLETTE 100)



Drop 18

recessed lamp
interior | SPA | Wellness | saunas
operating temperature: - 20 to 120 °C
material: stainless steel + Swarovski crystal
finish: polished stainless steel / golden gloss

CE UKCA IP65 5V DC



Light source

0,15W LED
8500 - 6500K
non-dimmable


Code

● stainless steel: DROP18
● gold: DROP18-G

Drop 40

recessed lamp
interior | SPA | Wellness | saunas
operating temperature: - 20 to 120 °C
material: stainless steel + Swarovski crystal
finish: polished stainless steel / golden gloss

CE UKCA IP65 5V DC



Light source

0,15W LED
8500 - 6500K
non-dimmable


Code

● stainless steel: DROP40
● gold: DROP40-G

Drop 50

recessed lamp
interior | SPA | Wellness | saunas
operating temperature: - 20 to 120 °C
material: stainless steel + Swarovski crystal
finish: polished stainless steel / golden gloss

CE UKCA IP65 5V DC



Light source

0,15W LED
8500 - 6500K
non-dimmable


Code

● stainless steel: DROP50
● gold: DROP50-G

Drop 63

recessed lamp
interior | SPA | Wellness | saunas
operating temperature: - 20 to 120 °C
material: stainless steel + Swarovski crystal
finish: polished stainless steel / golden gloss

CE UKCA IP65 5V DC



Light source

0,15W LED
8500 - 6500K
non-dimmable


Code

● stainless steel: DROP63
● gold: DROP63-G

Drop 100

recessed lamp
interior | SPA | Wellness | saunas
operating temperature: - 20 to 120 °C
material: stainless steel + Swarovski crystal
finish: polished stainless steel / golden gloss

CE UKCA IP65 5V DC



Light source

0,15W LED
8500 - 6500K
non-dimmable


Code

● stainless steel: DROP100
● gold: DROP100-G

Spin Drop

recessed lamp
interior | SPA | Wellness | saunas
operating temperature: - 20 to 120 °C
material: stainless steel + Swarovski crystal
finish: polished stainless steel / golden gloss

CE UKCA IP65 5V DC



Light source

0,15W LED
8500 - 6500K
non-dimmable


Code

● stainless steel: SPINDROP
● gold: SPINDROP-G

Flow 63

recessed lamp
interior | SPA | Wellness | saunas
operating temperature: - 20 to 120 °C
material: stainless steel + Swarovski crystal
finish: polished stainless steel / golden gloss

CE UKCA IP65 5V DC



Light source

0,15W LED
8500 - 6500K
non-dimmable


Code

● stainless steel: FLOW63
● gold: FLOW63-G

Flow 100

recessed lamp
interior | SPA | Wellness | saunas
operating temperature: - 20 to 120 °C
material: stainless steel + Swarovski crystal
finish: polished stainless steel / golden gloss

CE UKCA IP65 5V DC



Light source

0,15W LED
8500 - 6500K
non-dimmable


Code

● stainless steel: FLOW100
● gold: FLOW100-G

Briolette 76

recessed lamp
interior | SPA | Wellness | saunas
operating temperature: - 20 to 120 °C
material: stainless steel + Swarovski crystal
finish: polished stainless steel / golden gloss

CE UKCA IP65 5V DC



Light source

0,15W LED
8500 - 6500K
non-dimmable


Code

● stainless steel: BRIOLETTE76
● gold: BRIOLETTE76-G

Briolette 100

recessed lamp
interior | SPA | Wellness | saunas
operating temperature: - 20 to 120 °C
material: stainless steel + Swarovski crystal
finish: polished stainless steel / golden gloss

CE UKCA IP65 5V DC



Light source

0,15W LED
8500 - 6500K
non-dimmable

Code

● stainless steel: BRIOLETTE100
● gold: BRIOLETTE100-G

Crystal starry sky



Complete sets

made with crystals from Swarovski®



Accessories: plastic holders, conductors, distribution block, power supply and drill

Sets contain everything necessary for creating your own piece of starry sky. A variety of lamp types from the LED Crystal collection are used in the sets.


The LED Crystal product combines precisely cut crystals with innovative LED technology that boasts long life span and low power consumption.

The pre-assembled sets can be expanded with additional types of lamps from the LED Crystal collection and thus create unique lighting effects.

Crystal starry sky - complete sets

DROP 18 | DROP 40

interior | SPA | Wellness | saunas
 operating temperature: - 20 to 120 °C
 material: stainless steel + Swarovski crystal
 finish: polished stainless steel / golden gloss



Light source

0,15W LED
 8500 - 6500K
 non-dimmable

CE UKCA IP65 Complete set: 230V AC / 50-60 Hz
 Individual LED Crystal: 5V DC


	Qty of lamps in the set	Code
Stainless steel	6 (3+3)	SW01-A
	12 (6+6)	SW02-A
	25 (13+12)	SW03-A
	50 (25+25)	SW04-A
	75 (38+37)	SW05-A
	100 (50+50)	SW06-A
120 (60+60)	SW07-A	

	Qty of lamps in the set	Code
Gold	6 (3+3)	SW01-A-G
	12 (6+6)	SW02-A-G
	25 (13+12)	SW03-A-G
	50 (25+25)	SW04-A-G
	75 (38+37)	SW05-A-G
	100 (50+50)	SW06-A-G
120 (60+60)	SW07-A-G	

Crystal starry sky - complete sets

DROP 18 | DROP 40 | DROP 50

interior | SPA | Wellness | saunas
 operating temperature: - 20 to 120 °C
 material: stainless steel + Swarovski crystal
 finish: polished stainless steel / golden gloss



Light source

0,15W LED
 8500 - 6500K
 non-dimmable

CE UKCA IP65 Complete set: 230V AC / 50-60 Hz
 Individual LED Crystal: 5V DC


	Qty of lamps in the set	Code
Stainless steel	6 (2+2+2)	SW01-B
	12 (5+5+2)	SW02-B
	25 (10+10+5)	SW03-B
	50 (20+20+10)	SW04-B
	75 (30+30+15)	SW05-B
	100 (40+40+20)	SW06-B
120 (50+50+20)	SW07-B	

	Qty of lamps in the set	Code
Gold	6 (2+2+2)	SW01-B-G
	12 (5+5+2)	SW02-B-G
	25 (10+10+5)	SW03-B-G
	50 (20+20+10)	SW04-B-G
	75 (30+30+15)	SW05-B-G
	100 (40+40+20)	SW06-B-G
120 (50+50+20)	SW07-B-G	

Crystal starry sky - complete sets

DROP 18 | DROP 40 | DROP 63

interior | SPA | Wellness | saunas
 operating temperature: - 20 to 120 °C
 material: stainless steel + Swarovski crystal
 finish: polished stainless steel / golden gloss



Light source

0,15W LED
 8500 - 6500K
 non-dimmable

CE UKCA IP65 Complete set: 230V AC / 50-60 Hz
 Individual LED Crystal: 5V DC

	Qty of lamps in the set	Code
Stainless steel	6 (2+2+2)	SW01-C
	12 (5+5+2)	SW02-C
	25 (10+10+5)	SW03-C
	50 (20+20+10)	SW04-C
	75 (30+30+15)	SW05-C
	100 (40+40+20)	SW06-C
120 (50+50+20)	SW07-C	


	Qty of lamps in the set	Code
Gold	6 (2+2+2)	SW01-C-G
	12 (5+5+2)	SW02-C-G
	25 (10+10+5)	SW03-C-G
	50 (20+20+10)	SW04-C-G
	75 (30+30+15)	SW05-C-G
	100 (40+40+20)	SW06-C-G
120 (50+50+20)	SW07-C-G	

Sets contain the following accessories: plastic mounting holders, conductors with connectors, distribution block, power supply and drill.

Crystal starry sky - complete sets

DROP 18 | DROP 40 | SPIN DROP

interior | SPA | Wellness | saunas
 operating temperature: - 20 to 120 °C
 material: stainless steel + Swarovski crystal
 finish: polished stainless steel / golden gloss



Light source

0,15W LED
 8500 - 6500K
 non-dimmable

CE UKCA IP65 Complete set: 230V AC / 50-60 Hz
 Individual LED Crystal: 5V DC


	Qty of lamps in the set	Code
Stainless steel	6 (2+2+2)	SW01-D
	12 (5+5+2)	SW02-D
	25 (10+10+5)	SW03-D
	50 (20+20+10)	SW04-D
	75 (30+30+15)	SW05-D
	100 (40+40+20)	SW06-D
120 (50+50+20)	SW07-D	

	Qty of lamps in the set	Code
Gold	6 (2+2+2)	SW01-D-G
	12 (5+5+2)	SW02-D-G
	25 (10+10+5)	SW03-D-G
	50 (20+20+10)	SW04-D-G
	75 (30+30+15)	SW05-D-G
	100 (40+40+20)	SW06-D-G
120 (50+50+20)	SW07-D-G	

Crystal starry sky - complete sets

FLOW 63 | FLOW 100

interior | SPA | Wellness | saunas
 operating temperature: - 20 to 120 °C
 material: stainless steel + Swarovski crystal
 finish: polished stainless steel / golden gloss



Light source

0,15W LED
 8500 - 6500K
 non-dimmable

CE UKCA IP65 Complete set: 230V AC / 50-60 Hz
 Individual LED Crystal: 5V DC


	Qty of lamps in the set	Code
Stainless steel	6 (4+2)	SW01-E
	12 (9+3)	SW02-E
	25 (20+5)	SW03-E
	50 (40+10)	SW04-E

	Qty of lamps in the set	Code
Gold	6 (4+2)	SW01-E-G
	12 (9+3)	SW02-E-G
	25 (20+5)	SW03-E-G
	50 (40+10)	SW04-E-G

Crystal starry sky - complete sets

BRIOLETTE 76 | BRIOLETTE 100

interior | SPA | Wellness | saunas
 operating temperature: - 20 to 120 °C
 material: stainless steel + Swarovski crystal
 finish: polished stainless steel / golden gloss



Light source

0,15W LED
 8500 - 6500K
 non-dimmable

CE UKCA IP65 Complete set: 230V AC / 50-60 Hz
 Individual LED Crystal: 5V DC

	Qty of lamps in the set	Code
Stainless steel	6 (4+2)	SW01-F
	12 (10+2)	SW02-F
	25 (21+4)	SW03-F

	Qty of lamps in the set	Code
Gold	6 (4+2)	SW01-F-G
	12 (10+2)	SW02-F-G
	25 (21+4)	SW03-F-G

Sets contain the following accessories: plastic mounting holders, conductors with connectors, distribution block, power supply and drill.



LIDES s.r.o.
no. 1907, 951 32 Horna Kralova
Slovakia

www.lides.com
lides@lides.sk

